Polymer Bulletin

© Springer-Verlag 1989

Author Index Volume 22 (1989)

Abu Abdeen M, see Amin M
Alamo RG, McLaughlin KW, Mandelkern L: Changes in the phase structure of the polyethylenes after long-time storage at room temperature 299
Amin M, Nasr GM, Hassan HH, El-Guiziri S, Abu-Abdeen M: Investigation on the dependence of the electrical conductivity of FEF/SBR vulcanizates on the cyclic strain 413
Arndt K-F, Witkowski K, Schimmel K-H: Quasielastic light scattering on swollen silicon networks 333
Ateia E, see Hassan HH
Attari S, see Shuhaibar KF

Barson CA, Bevington JC, Huckerby TN: The reaction of beta-methylstyrene with the benzoyloxy radical 131
Bartulín J, Parra M, Ramírez A, Zunza H: Synthesis of polymers with benzo-13-crown-4 and benzo-9-crown-3 units via cyclopolymerization 33
Basok SS, see Valter B
Bender D, Müllen K: Reductive transformations. 14. Soluble polyesters derived from 9,10-anthracenediols (1) 137
Benedetti E, D'Alessio AD, Bertolutti C, Vergamini P, Del Fanti N, Pianca M, Moggi G: Influence of molecular weight on the crystallization of poly(vinylidene fluoride) 645
Berry VK, see Golovoy A
Bertolutti C, see Benedetti E
Bertorello H, see Strumia M
Bertsch W, see Holzer G
Bevington JC, see Barson CA
Bidinger GP, see Quirk RP
Birch AJ, Stanford JL, Ryan AJ: The effects of hard segment content on microphase separation and physical properties of non-linear, segmented copolyureas formed by RIM 629
Brady Jr. RF, Sikes AM: The influence of monomer ratios on the properties of copolymers of 3,3'-spirobiphthalide and bisphenol A diglycidylether 521
Buerger DE, Engberg K, Jansson J-F, Gedde UW: Crystallization of sheared polymer melts: poly(ethylene oxide) fractions 593
Buo S, see Fang T
Burillo G, see Soto H

Canessa GS, see Rivas BL
Cardoso J, see Castaño VM
Castaño VM, González AE, Cardoso J, Manero O, Monroy Soto VM: Influence of sample preparation on microdomain formation on some zwitterionic polymers 617
Castellano P, Martínez de Bertorello M: Copolymers of sucrose and naphthoquinone imine derivatives. Synthesis and characterization 41
Čefelín P, see Valter B
Cha W-I, see Hyon S-H
Chang WV, see Gong XF
Chen CC, Kaszas G, Puskas JE, Kennedy JP: Living carbocationic polymerization. XXXIII. Living polymerization of isobutylene by tertiary hydroxyl/baron trichloride/electron pair donor systems 463
Chen CC, see Mishra MK
Cheng B, see Wu G
Cheng SZD, see Janimak JJ
Cheung MF, see Golovoy A
Chew CH, see Yeoh KW
Choe CR, Kim KH, Lee KH: Crystallization behavior during the gel spinning of ultra-high molecular weight polyethylene 293
Chung IJ, see Lim TJ
Conde Braña MT, Iragorri Sainz JI, Gedde UW: Morphology of linear PE blends crystallized at the transition temperature between regime I and regime II growth 277
Cooper SL, see Register RA
Cotzur C, see Ungurenasu C
Cristobal LV, Gilberto A. PM: Unsaturated polyesters. 1. Polyester from maleic anhydride and ethylene glycol 513

D'Alessio AD, see Benedetti E
Dang M-H, Dang V-L: Optimization of pectin extraction from dried peel of citrus grandis 599
Dang V-L, see Dang M-H
Darwish KA, see Hassan HH
Del Fanti N, see Benedetti E
Denizligil S, Yağci Y: Functional polyamides. 1. New polymeric azo initiators from formaldehyde and azo-dinitriles 547
Domaratius F, Walther S, Fedtke M: Effects of reactive diluents in curing of epoxies as revealed by model reactions 579
Douša P, Kořák Č, Fidler V, Dušek K: Cure monitoring of epoxy resins by fluorescence quenching 585
Dubois P, Jerome R, Teyssie P: Macromolecular engineering of polylactones and polylactides. I. End-functionalization of poly ε-caprolactone 475
Dušek K, see Douša P
Dušek K, see Špírková M

El-Guiziri S, see Amin M
El-Guiziri SB, see Hassan HH

Polymer Bulletin

© Springer-Verlag 1989

Author Index Volume 22 (1989)

Abu Abdeen M, see Amin M
Alamo RG, McLaughlin KW, Mandelkern L: Changes in the phase structure of the polyethylenes after long-time storage at room temperature 299
Amin M, Nasr GM, Hassan HH, El-Guiziri S, Abu-Abdeen M: Investigation on the dependence of the electrical conductivity of FEF/SBR vulcanizates on the cyclic strain 413
Arndt K-F, Witkowski K, Schimmel K-H: Quasielastic light scattering on swollen silicon networks 333
Ateia E, see Hassan HH
Attari S, see Shuhaibar KF

Barson CA, Bevington JC, Huckerby TN: The reaction of beta-methylstyrene with the benzoyloxy radical 131
Bartulín J, Parra M, Ramírez A, Zunza H: Synthesis of polymers with benzo-13-crown-4 and benzo-9-crown-3 units via cyclopolymerization 33
Basok SS, see Valter B
Bender D, Müllen K: Reductive transformations. 14. Soluble polyesters derived from 9,10-anthracenediols (1) 137
Benedetti E, D'Alessio AD, Bertolutti C, Vergamini P, Del Fanti N, Pianca M, Moggi G: Influence of molecular weight on the crystallization of poly(vinylidene fluoride) 645
Berry VK, see Golovoy A
Bertolutti C, see Benedetti E
Bertorello H, see Strumia M
Bertsch W, see Holzer G
Bevington JC, see Barson CA
Bidinger GP, see Quirk RP
Birch AJ, Stanford JL, Ryan AJ: The effects of hard segment content on microphase separation and physical properties of non-linear, segmented copolyureas formed by RIM 629
Brady Jr. RF, Sikes AM: The influence of monomer ratios on the properties of copolymers of 3,3'-spirobiphthalide and bisphenol A diglycidylether 521
Buerger DE, Engberg K, Jansson J-F, Gedde UW: Crystallization of sheared polymer melts: poly(ethylene oxide) fractions 593
Buo S, see Fang T
Burillo G, see Soto H

Canessa GS, see Rivas BL
Cardoso J, see Castaño VM
Castaño VM, González AE, Cardoso J, Manero O, Monroy Soto VM: Influence of sample preparation on microdomain formation on some zwitterionic polymers 617
Castellano P, Martínez de Bertorello M: Copolymers of sucrose and naphthoquinone imine derivatives. Synthesis and characterization 41
Čefelín P, see Valter B
Cha W-I, see Hyon S-H
Chang WV, see Gong XF
Chen CC, Kaszas G, Puskas JE, Kennedy JP: Living carbocationic polymerization. XXXIII. Living polymerization of isobutylene by tertiary hydroxyl/baron trichloride/electron pair donor systems 463
Chen CC, see Mishra MK
Cheng B, see Wu G
Cheng SZD, see Janimak JJ
Cheung MF, see Golovoy A
Chew CH, see Yeoh KW
Choe CR, Kim KH, Lee KH: Crystallization behavior during the gel spinning of ultra-high molecular weight polyethylene 293
Chung IJ, see Lim TJ
Conde Braña MT, Iragorri Sainz JI, Gedde UW: Morphology of linear PE blends crystallized at the transition temperature between regime I and regime II growth 277
Cooper SL, see Register RA
Cotzur C, see Ungurenasu C
Cristobal LV, Gilberto A. PM: Unsaturated polyesters. 1. Polyester from maleic anhydride and ethylene glycol 513

D'Alessio AD, see Benedetti E
Dang M-H, Dang V-L: Optimization of pectin extraction from dried peel of citrus grandis 599
Dang V-L, see Dang M-H
Darwish KA, see Hassan HH
Del Fanti N, see Benedetti E
Denizligil S, Yağci Y: Functional polyamides. 1. New polymeric azo initiators from formaldehyde and azo-dinitriles 547
Domaratius F, Walther S, Fedtke M: Effects of reactive diluents in curing of epoxies as revealed by model reactions 579
Douša P, Kořák Č, Fidler V, Dušek K: Cure monitoring of epoxy resins by fluorescence quenching 585
Dubois P, Jerome R, Teyssie P: Macromolecular engineering of polylactones and polylactides. I. End-functionalization of poly ε-caprolactone 475
Dušek K, see Douša P
Dušek K, see Špírková M

El-Guiziri S, see Amin M
El-Guiziri SB, see Hassan HH

Elsabee MZ, Sabaa MW, Naguib HF, Mikhael MG: Polymerization and chelating behavior of N-acryloyl, N-phenylthiourea 143
Ely DL, see Gadkari A
Engberg K, see Buerger DE

Fang T, Buo S, Xie H, Zhang W, Yu L: Water-soluble and amphiphilic polymers. 4. Light scattering studies of some dilute solutions of PEO-PSt-PEO triblock polymers 311
Fang T, Xu S, Lei Y: Water-soluble and amphiphilic polymers. 5. Synthesis and characterization of styrene-methacrylic acid block polymers 317
Fazio RC, Taylor LD: Synthesis and reactivity of highly versatile VDMO-VBC copolymers 449
Fedtke M, see Domaratius F
Fedtke M, see Schlothauer K
Fidler V, see Douša P
Fischer A, see Schlothauer K
Fragnito R, see Zhou G

Gadkari A, Kennedy JP, Kory MM, Ely DL: Preparation and biocompatibility of novel polar-nonpolar networks. I. Synthesis, characterization and histological-bacterial analysis of mixed polytetrahydrofuran-polyisobutylene networks 25
Gan LM, see Yeoh KW
Garrett RW, Hill DJT, O'Donnell JH, Pomery PJ, Winzor CL: Application of ESR spectroscopy to the kinetics of free radical polymerization of methyl methacrylate in bulk to high conversion 611
Gaylord RJ, see Twardowski TE
Gedde UW, see Buerger DE
Gedde UW, see Conde Braña MT
Gilberto A. PM, see Cristobal LV
Glaser RH, Wilkes GL: Polymer modified mixed metal alkoxide-metal acetyl acetonate sol-gel materials 527
Golovoy A, Mazich KA, Cheung MF, Berry VK: An apparent double glass transition of polyphenylene sulfide in blends with polyarylate 175
Gomes AS, see Oliveira CMF
Gomes AS, see Oliveira CMF
Gong XF, Shing KS, Chang WV: Effect of composition dependent Flory interaction parameter χ on polymer adsorption theory 71
González AE, see Castaño VM
González M, Rodriguez M, León LM, González MC, Zamora F: The initiation process in the polymerization of N-vinylcarbazole and 3-1,9-N-vinylcarbazole by trityl salts 163
González MC, see González M
Gordon B III, Mera AE: A delocalized carbanion monomer preparation: 4,5-dimethylene-1,8-octanediol for use as both functional condensation and diene monomers 387
Gordon B III, Mera AE: Synthesis and characterization of 2,3-dialkyl-1,4-butanediols and copolyesters containing these moieties 379

Hadjichristidis N, see Mays JM
Hallensleben ML, Weichart B: Photoresponsive polymers. V. Preparation and polymerization of methacrylic acid-[1-((4-phenylazo)-phenylazo)]-2-naphthyl-ester 553
Han X, see Wu G
Hasegawa E, Shouji E, Tsuchida E: Diene-containing 1,3-diacylglycero-2-phosphoric acid. A pH-sensitive ultraviolet probe and polymerization 227
Hassan HH, Khairy SA, El-Guiziri SB, Nasr GM, Darwish KA, Ateia E: Influence of static and cyclic compression on the electrical conductivity of FEF black-loaded rubbers 621
Hassan HH, see Amin M
Hathcock SL, see Holzer G
Hayashizaki K, see Miyamoto M
Hedrick JL, Hilborn JG, Labadie JW, Volksen W: Synthesis of imide-aryl ether benzoxazole block copolymers 47
Hilborn JG, see Hedrick JL
Hill DJT, see Garrett RW
Holzer G, Miller R, Hathcock SL, Bertsch W: Analysis of reactive trace contaminants in styrene by GC/MS 421
Hong HH, Weber WP: Synthesis and photodegradation of poly 2,5-bis(dimethylsilyl)furan 363
Hrouz J, Ilavský M: Phase transition in swollen gels. 13. Dynamic mechanical behaviour of poly(N,N-diethylacrylamide) networks and solutions in the collapse region 271
Hrudková H, see Valter B
Hu G, see Song M
Huckerby TN, see Barson CA
Hyon S-H, Cha W-I, Ikada Y: Preparation of transparent poly(vinyl alcohol) hydrogel 119

Idage BB, see Idage SB
Idage SB, Idage BB, Vernekar SP: Synthesis and characterization of new polyimides and polyamide-imides containing azomethine group in the polymer backbone 371
Ikada Y, see Hyon S-H
Ilavský M, see Hrouz J
Inagaki N, Tasaka S, Kurita T: Plasma polymerization of fluorobenzenes/SO_2 mixtures 15
Irragori Sainz JI, see Conde Braña MT
Itagaki H: Molecular weight dependence of excimer formation of poly(α-methylstyrene) 429

Janimak JJ, Cheng SZD: Crystallization behavior of low molecular mass isotactic poly(propylene) fractions 95
Janout V, see Valter B
Jansson J-F, see Buerger DE
Jermoe R, see Dubois P
Jeung Y-T, see Yoon J-S

John G, Pillai CKS: Grafting of bio-monomers. 1. Cationic graft copolymerisation of cardanol using borontrifluoridediethyletherate onto cellulose 89

Kammer HW, see Morgenstern B
Kaszas G, see Chen CC
Katime IA, Nuño T: Polymerization of 4-vinyl biphenyl at advanced degrees of conversion 505
Kennedy JP, see Chen CC
Kennedy JP, see Gadkari A
Kennedy JP, see Mishra MK
Khairy SA, see Hassan HH
Kim HK, Matyjaszewski K: Anions and radicals as intermediates in the reductive coupling of di-substituted dichlorosilanes with sodium. Trapping the intermediate radicals in polymerization of allyl- and hexenyldichlorosilanes 441
Kim HK, see Matyjaszewski K
Kim I, Woo SI: Homo- and co-polymerization of ethylene with highly active Ti/Mg bimetallic complexes 239
Kim J-Y, see Yoon J-S
Kim KH, see Choe CR
Kobayashi S, see Suzuki M
Koh LL, see Yeoh KW
Kokta BV, Raj RG: Interaction of α-$TiCl_3$ with organoaluminium compounds and its correlation with propylene polymerization. I. Kinetics of interaction 103
Kokta BV, Raj RG: Interaction of α-$TiCl_3$ with organoaluminium compounds and its correlation with propylene polymerization. II. Characterization by IR 111
Koňák Č, see Douša P
Kory MM, see Gadkari A
Kulygina EY, see Valter B
Kurita T, see Inagaki N

Labadie JW, see Hedrick JL
Lanzetta N, Laurienzo P, Malinconico M: Functionalization of ethylene-propylene saturated rubbers: a study on the grafting of monoethylmaleate and its cyclization reaction 603
Laurienzo P, see Lanzetta N
Lee D-H, see Yoon J-S
Lee KH, see Choe CR
Lee S-JH, Weber WP: Synthesis and photodegradation of poly 1,4-bis(dimethylsilyl)naphthalene 355
Lei Y, see Fang T
Leikauf B, Schneider HA, Regel W: Electron-donor-acceptor interactions with cellulosic systems 573
Lenz RW, see Singh P
León LM, see González M
Lescano G, see Strumia M
Liao ZK, Wang CS: The study of the polyallylation reaction of o-cresol novolac and the regioselectivity of o-allylation vs c-allylation 9
Liao ZK, Wang CS: The synthesis and characterization of novel thermosettable vinylbenzyl terminated monomers and the properties of the cured resins 1
Lim TJ, Chung IJ: Polydispersity effect on transient flow behavior of polystyrene solution 183
Lu GJ, see Wu GY
Lukyanenko NG, see Valter B

Malinconico M, see Lanzetta N
Mandelkern L, see Alamo RG
Manero O, see Castaño VM
Marossy K: Assessment of activation energies of transitions by thermally stimulated discharge current (TSD) experiments 213
Martínez de Bertorello M, see Castellano P
Mattice WL, see Medicuti F
Maturana HA, see Rivas BL
Matyjaszewski K, Kim HK: Homopolymerization and copolymerization of phenyltrichlorosilane by sonochemical reductive coupling in the presence of sodium 253
Matyjaszewski K, see Kim HK
Mays JM, Hadjichristidis N: Synthesis of high molecular weight near-monodisperse poly(4-methylstyrene) by anionic polymerization 471
Mazich KA, see Golovoy A
McLaughlin KW, see Alamo RG
Medicuti F, Mattice WL: Supression of the influence of stray light on quantitative measurement of I_D/I_M for weakly emitting dilute solutions of polymers 557
Mera AE, see Gordon B III
Mikhael MG, see Elsabee MZ
Miller R, see Holzer G
Mishra MK, Chen CC, Kennedy JP: Living carbocationic polymerization. XXXII. Living polymerization of isobutylene by tertiary alcohol/boron trichloride systems 455
Miyamoto M, Hayashizaki K, Tokumizu M, Saegusa T: Reactivity of cyclic imino ether salts having vinyl group. 7. Preparation of N-methylated salt of 2-p-styryl-2-oxazoline and its related polymerizations 325
Miyamoto M, Sano Y, Saegusa T: Reactivity of N-alkylated cyclic imino ether salts having vinyl group. 5. Graft copolymerization of 2-oxazolines onto copolymer of 2-isopropenyl-3-methyl-2-oxazolinium tetrafluoroborate with acrylate 79
Mizuno K, see Suzuki M
Moggi G, see Benedetti E
Monroy Soto VM, see Castaño VM
Morgenstern B, Kammer HW: Phase changes during solution casting of polymer blends containing cellulose 265
Müllen K, see Bender D

Naguib HF, see Elsabee MZ
Nasr GM, see Amin M
Nasr GM, see Hassan HH

Ni S, Tang J, Wang F: Proton NMR study on the molecular motion and conformation of polyaniline doped with HCl 652
Nishibu Y, see Yamashita K
Nuño T, see Katime IA

O'Donnell JH, see Garrett RW
Ogawa T, see Soto H
Okada I, see Yamashita K
Oliveira CMF, Gomes AS: Poly(methacrylate-g-propylene oxide). 1. Synthesis and characterization 401
Oliveira CMF, Gomes AS: Poly(methacrylate-g-propylene oxide). 2. Thermal and mechanical behavior 407
Osredkar U, see Šebenik A
Otani K, see Suzuki M

Park J-W, see Yoon J-S
Park YT, Zhou Q, Weber WP: Anionic ring opening polymerization of 3,4-benzo-1,1-dimethyl-1-silacyclopentene. Properties of poly(3,4-benzo-1,1-dimethyl-1-silapentene) 349
Parra M, see Bartulín J
Pasch H, see Shuhaibar KF
Percec V, Tomazos D, Willingham RA: The influence of the polymer backbone flexibility on the phase transitions of side chain liquid crystal polymers containing 6-[4-(4-methoxy-β-methylstyryl) phenoxy] hexyl side groups 199
Percec V, Tsuda Y: Liquid crystalline polyethers based on conformational isomerism. 7. Synthesis and determination of the virtual mesomorphic phase transitions of polyethers and copolyethers based on 1-(4-hydroxyphenyl) -2-(2-methyl-4-hydroxyphenyl) ethane and 1,13-dibromotridecane 489
Percec V, Tsuda Y: Liquid crystalline polyethers based on conformational isomerism. 8. Synthesis and determination of the virtual mesomorphic phase transitions of polyethers and copolyethers based on 1-(4-hydroxyphenyl) -2-(2-methyl-4-hydroxyphenyl) ethane and 1,14-dibromotetradecane 497
Pianca M, see Benedetti E
Pillai CKS, see John G
Pomery PJ, see Garrett RW
Pooley SA, see Rivas BL
Puskas JE, see Chen CC

Qi XC, see Wu GY
Quirk RP, Bidinger GP: Mechanistic role of enolate ions in "Group Transfer Polymerization" 63

Raj RG, see Kokta BV
Raj RG, see Kokta BV
Ramírez A, see Bartulín J
Rausch MD, see Singh P
Regel W, see Leikauf B

Register RA, Yu X, Cooper SL: Effects of matrix polarity and ambient aging on the morphology of sulfonated polyurethane ionomers 565
Rivas BL, Canessa GS, Pooley SA, Maturana HA: Copolymerization via zwitterion of methacrylic acid and ethyleneimine. Part 17 169
Rodriguez M, see González M
Ryan AJ, see Birch AJ

Sabaa MW, see Elsabee MZ
Saegusa T, see Miyamoto M
Saegusa T, see Suzuki M
Sakaya T, see Suzuki M
Sano Y, see Miyamoto M
Schimmel K-H, see Arndt K-F
Schlothauer K, Tänzer W, Fischer A, Fedtke M: Crosslinking behaviour of diolmodified epoxies. 3. C-13 NMR measurements in the liquid state 221
Schneider HA, see Leikauf B, Šebenik A, Osredkar U, Žigon M: Step-growth polymerization of guanamines with unsaturated aldehydes 155
Serhatli IE, see Tunca Ü
Shing KS, see Gong XF
Shouji E, see Hasegawa E
Shuhaibar KF, Pasch H, Attari S: Polymeric azo pigments. 2. Synthesis and characterization of azo naphthol containing polymers 539
Sikes AM, see Brady Jr. RF
Singh P, Rausch MD, Lenz RW: Ferrocene containing liquid crystalline copolyesters 247
Smid J, see Zhou G
Soares BG, Souza Gomes A de: A contribution to the fractionation of polystyrene - poly-(alpha-methylstyrene) mixture using the methyl ethyl ketone - benzene/methanol system 207
Song M, Xu H, Hu G: Study on the life expectancy of storage and ageing for rubber vulcanizates. 4. The method of ultimate fracture under constant rate strain 285
Soto H, Burillo G, Ogawa T: Studies on diacetylenic vinyl compounds. IV. Copolymerization of phenyl-4'-vinylphenylbutadiyne with maleic anhydride 533
Souza Gomes A de, see Soares BG
Špírková M, Dušek K: Extent of side reactions and gelation of polyether polyurethanes 191
Stanford JL, see Birch AJ
Steinmann B: Acid curing of epoxides: an unexpected mechanism for the reaction of glycidyl esters with acids 637
Strumia M, Bertorello H, Lescano G: Synthesis of diacetylenic-butadiene-acrylic acid block copolymers 21
Suzuki M, Mizuno K, Sakaya T, Otani K, Kobayashi S, Saegusa T: Behavior of deoxophostones family as nucleophilic monomers in no-catalyst copolymerization 435

Tang J, see Ni S
Tasaka S, see Inagaki N
Taylor LD, see Fazio RC

Teyssie P, see Dubois P
Tokumizu M, see Miyamoto M
Tomazos D, see Percec V
Tsubokawa N: Ring-opening polymerization of 2-oxazolines initated by chloromethyl groups introduced onto carbon black surface 55
Tsuchida E, see Hasegawa E
Tsuda K, see Yamashita K
Tsuda Y, see Percec V
Tunca Ü, Serhatli IE, Yağci Y: Polymerization of acrylamide initiated by the redox system Ce(IV)-4,4'-azobis (4-cyano pentanol) 483
Twardowski TE, Gaylord RJ: The localization model of rubber elasticity and the stress-strain behavior of a network formed by cross-linking a deformed melt. II Equibiaxial extension and pure shear (Erratum) 102
Tănzer W, see Schlothauer K

Ungurenasu C, Cotzur C: Functionalization of styrene copolymers with $(Bu_4N)_2Fe(CO)_4$ in phase-transfer catalysis 151

Valter B, Janout V, Hrudková H, Čefelín P, Lukyanenko NG, Basok SS, Kulygina EY: Polymer-supported aza-15-crown-5 as effective catalyst for phase-transfer reactions 261
Vergamini P, see Benedetti E
Vernekar SP, see Idage SB
Volksen W, see Hedrick JL

Walther S, see Domaratius F
Wang CS, see Liao ZK
Wang F, see Ni S
Weber WP, see Hong HH
Weber WP, see Lee S-JH
Weber WP, see Park YT
Wei YK, see Wu GY
Weichart B, see Hallensleben ML
Wilkes GL, see Glaser RH
Willingham RA, see Percec V
Winzor CL, see Garrett RW
Witkowski K, see Arndt K-F
Woo SI, see Kim I
Wu G, Han X, Cheng B: The role of complexation in living cationic polymerization with Lewis acid/ester systems 341
Wu GY, Qi XC, Lu GJ, Wei YK: Alternating copolymerization of acrylate and isobutylene. I. Polymer synthesis and characterization 393

Xie H, see Fang T
Xu H, see Song M
Xu S, see Fang T

Yağci Y, see Denizligil S
Yağci Y, see Tunca Ü
Yamashita K, Nishibu Y, Okada I, Tsuda K: Oxidation of hydrophobic hydroquinone by polyvinylpyridine-Cu(II) complex catalyst 307
Yeoh KW, Chew CH, Gan LM, Koh LL: Micellar polymerization of surfactants. Sodium 6-acrylamidocaproate and sodium 11-(N-methyl acrylamido)undecanoate 123
Yoon J-S, Jeung Y-T, Park J-W, Kim J-Y, Lee D-H: Studies on the catalyst modification in propylene polymerization using ethylene-propylene copolymerization 233
Yu L, see Fang T
Yu X, see Register RA

Zamora F, see González M
Zhang W, see Fang T
Zhou G, Fragnito R, Smid J: Siloxanes with aliphatic isocyanate groups. A tetrafunctional cross-linking agent 85
Zhou Q, see Park YT
Žigon M, see Šebenik A
Zunza H, see Bartulín J

Subject Index Volume 22 (1989)

Acrylamide 483
Acrylamidoalkanoates 123
Acrylate/isobutylene, alternating copolymerization 393
N-Acryloyl, N-phenylthiourea 143
N-Acryloyl-2-methylalanine 449
Acryloyl-azo naphthols, homopolymerized 539
Acryloyloxy compounds 539
Acyloxyphosphorane 435
Aging, ambient 565
tert-Alcohols 455, 463
-, living cationic polymerization 455
Aldehydes, unsaturated 155
N-Alkylated cyclic imino ether salts 79
Allyldichlorosilanes 441
Alternating copolymerization 393
Aluminium alkoxides 475
Aluminium tri-secondarybutoxide 527
Amphiphilic polymers 311, 317
Anacardium occidentale 89
Anionic polymerization 471
Anionic ring-opening polymerization 349
9,10-Anthracenediols 137
$AtEtCl_2$ 393
Aza-15-crown-5, polymer-supported 261
Azlactone 449
4,4'-Azobis(4-cyano pentanol) 483
2,2-Azobis(isobutyronitrile) 533, 547
Azo dinitriles 547
Azo initiators 547
Azomethine group 371
Azo naphthol-containing polymers 539
Azo naphthol monomers 539
Azo pigments, polymeric 539

Backbone flexibility, polymer 199
BADGE 221
3,4-Benzo-1,1-dimethyl-1-silacylopentene 349
Benzoyloxy radical 131
Benzoyl peroxide 131, 393
Biocatalysts 599
Biocompatibility 25, 475
Biodegradability 475
Bio-monomers, grafting 89
Bis(amino) terminated ary ether benzoxazole 47
4,4'-Bis(isocyanato) benzylidene aniline 371
Bisphenol A, diglycidyl ether 221
Blends 265
-, linear PE 277
Block copolymers 483,547
Block polymers 317
Borontrifluoridediethyletherate 89
Bulk polymerization 611
$(Bu_4N)_2Fe(CO)_4$ 151

Butadiene-acrylonitrile rubber 285
Butanediols, disubstituted 379
2,5-di-tert-Butylhydroquinone 307

ε-Caprolactone polymerization 475
Carbocationic polymerization, living 455, 463
Carbon black 413
—, poly-OXZ-grafted 55
Caron black-loaded rubber 621
Cardanol 89
Catalyst modification 233
Catalysts 261
Cellulose, blends 265
Cellulose acceptor 573
Cellulose copolymers, grafted 89
Cellulosic systems 573
Ceramers 527
Cerium ion 483
Chlorobenzyl groups 325
Chloromethyl groups 55
Chromophores 557, 586
Citrus grandis 599
Citrus peel 599
Coatings, colored 539
Collapse, networks 271
Colored coatings 539
Complexation 341
Compression, static and cyclic 621
Compression cycles 621
Conductivity 621
Copolyesters, iron-containing aromatic 247
Copolymerization 33
Copolyurea, non-linear, segmented 629
o-Cresol novolac, polyallylation reaction 9
Crown ethers 33
Crowns, polymer-supported 265
Crystallization, controlled shear 593
-, isothermal 299
-, shear-induced 593
Crystallization kinetics, poly(propylene) 95
Cyclic imino ether salts 325
Cyclohexyl glycidyl ether 579
Cyclopolysilanes 253

Deoxophostones 435
Depolarization spectroscopy 213
Diacetylenic-butadiene-acrylic acid 21
Diacetylenic polymers 21
Diacetylenic vinyl compounds 533
1,3-Diacylglycero-2-phosophoric acid, diene-containing 117
2,3-Dialkyl-1,3-butadienes 379
2,3-Dialkyl-1,4-butanediols 379
Diallylsilanes 441
Diaminoazobenzene 585

1,3-Diaminopropane 585
1,14-Dibromotetradecane 497
1,13-Dibromotridecane 489
Dichlorosilanes, disubstituted 441
Diethylacrylamide 271
Diglycidyl ether of bisphenol A 521, 579, 585
Diisocyanate 371
Diluent, reactive 579
9,10-Dimethylanthracene 585
2,3-Dimethylene-1,3-butadiene dianion 379, 387
4,5-Dimethylene-1,8-octanediol 387
Dimethylisophthalate 557
Dimethylphthalate 557
Dimethylterephthalate 557
1,6-Diphenyl-1,3,5-hexatriene 585
Disilane units 355
Double glass transition 175
Dyes 539
-, triphenylmethane 551

EDA complexes 573
Electrical conductivity 413, 621
Electron-donor-acceptor complexes 573
Electron-donor-acceptor interactions 573
Electrophilic monomers 435
Emulsion polymerizations 123
Enolate anions 63
Epoxide/amine systems 585
Epoxide-based diluents 579
Epoxides, acid curing 637
-, ring-opening 637
Epoxies, curing 579
-, diolmodified 221
1,2-bis-(2,3-Epoxypropyl)-benzene 33
Epoxy resins 521
-, cure monitoring 585
-, curing 579
1,2-bis-(2-Ethenyloxyethoxy)-benzene 33
Ethylene, homo- and co-polymerization 239
Ethylene glycol 513
Ethylene-propylene copolymerization 233
Ethylene-propylene saturated rubbers 603
Excimer 557
Excimer fluoroscence 429

Fast extrusion furnace (FEF) 621
FEF black-loaded rubbers 621
FEF/SBR vulcanizates 413
Ferrocene 247
Flexibilities 199
Flexible spacer 199
Flory interaction parameter 71
Flow birefringence method 183
Fluorobenzenes/SO_2 mixtures, plasma polymerization 15
Fluoropolymers 15
Fluoroscence 557
-, excimer 585
Fluorescence depolarization 585
Fluorescence quenching 585

Free radical polymerization 611, 547
---, kinetics 611
Furnace black 55

Gelation 191
Gel point 611
Gel spinning 293
Gels, swollen 271
Glycerophospholipids 227
Glycidyl esters 637
—, reaction of acids 637
Glycidyl ethers 579
Graft copolymers 79, 401, 407, 547
Group transfer polymerization, enolate ions 63
Guanamines, step-growth polymerization 155

Hexenyldichlorosilanes 441
Hydrogels, transport 119
Hydroquinone, hydrophobic 307
1-(4-Hydroxyphenyl)-2-(2-methyl-4-hydroxy-phenyl) ethane 489, 497

I_D/I_M 557
Imide-aryl ether benzoxazole 47
Imino ether salts, cyclic 325
Ionomers 565
Isobutylene 393
-, living polymerization 455, 463
Isobutyl vinyl ether, living cationic polymerization 341
Isocyanates 191
-, aromatic 629
-, tetrafunctional aliphatic 85
Isomerism, conformational 489, 497
2-Isopropenyl-3-methyl-2-oxazolinium tetrafluoroborate 79
Isopropylidene 455
Isotactic poly(propylene), crystallization behavior 95

Lattice therory, polymer adsorption 71
Lewis acid/ester systems 341
Light, stray 557
Light scattering 311
Light transmittance 119
Lipid bilayer 227
Liquid crystalline copolyesters 247
Liquid crystalline polymers 199, 489
Living carbocationic polymerization 455
Living cationic polymerization 341
Lochmann's base 379

Maleic anhydride 513, 533
Matrix polarity 565
Melts 593
Melt-oriented strain fields 593
Mesophases, enantiotropic nematic 497
-, monotropic nematic 489
Metal acetyl acetonates 527

Metal alkoxide-metal acetyl acetonates 527
Methacrylic acid 553
Methacrylic acid/ethyleneimine 169
Methacrylic acid-/1-((4-phenylazo)--phenylazo)/-2-naphthyl-ester 553
Methacrylic esters 41
Methacryloyl chloride 401
6-/4-(4-Methoxy-ß-methylstyryl) phenoxy/hexyl 199
Methyl acrylate 393
4,4'-Methylenediphenylene diisocyanate 629
Methyl ethyl ketone-benzene/methanol 207
Methyl methacrylate 401, 611
-, free radical polymerization 611
2-Methyl-2-oxazoline 325
4-Methylstyrene 471
alpha-Methylstyrene 207
beta-Methylstyrene 131
Microdomain formation 617
Microemulsions 123
Microphase separation 629
Monoethylmaleate 603
-, grafted 603
Monomers, nucleophilic/electrophilic 435

Naphthoquinone imine/sucrose copolymer 41
Networks, swollen silicon 333
1-(2-Nitrophenylazo)-2-hydroxy--acryloyloxynaphthalenes 539
No-catalyst copolymerization 435
Non-catalysed copolymerization 169
Novolac 9

Organoaluminium compounds 103, 111
Organometallic polymers 441
Oxazoline 325
2-Oxazolines 79
-, ring-opening polymerization 55
Oxazolon 449
Oxidative doping 363

PE 293
PE blends, linear 277
Pectin extraction 599
PEO-PSt-PEO triblock polymers 311
Phase separation ratios 629
Phase-transfer catalysis 151
Phenyl glycidyl ether 579
Phenylmethyldichlorosilane 253, 441
Phenyltrichlorosilane 253
Phenyl-4'-venylphenylbutadiyne 533
Phosphonites 435
Phosphites 435
Phosopholipids, charged 227
Photoconductivity 253
Photodegradation 355, 363
Photoisomerisation 553
Photolithographic applications 355, 363
Photoresponsive polymers 553
PIB-PTHF networks 25
PIBs, exo-olefin capped 455
Pigments 539
Plasma polymerization 15
Plasticizers 573
Polar-nonpolar networks 25
Polimide, aromatic 47
Polyacrylamide 483
Poly(acrylene vinylene)s 355
Poly/(-N-acyliminoethylene/ 79
Poly(amic-acids) 47
Polyamide-imides 371
Polyamides 547
Polyampholytes, zwitterion 617
Polyarylate/polyphenylene sulfide 175
Poly(aryl ether benzoxazoles) 47
Polyazoester 317
Poly(3,4-benzo-1,1-dimethyl-1--silapentene) 349
Poly ε-caprolactone 475
Polydienes, carboxy-telechelic 565
Poly(N,N-diethylacrylamide) 271
Poly/2,5-bis(dimethylsilyl)furan/ 363
Poly/1,4-bis(dimethylsilyl)naphthalene/ 355
Polydispersity effect 183
Polyesterification 513
Polyesters 557
-, asymmetric telechelic 475
-, soluble 137
-, unsaturated 513
Polyether polyurethanes 191
Polyether triamine 629
Polyethers, liquid crystalline 489, 497
Polyethylene, ultra-high molecular weight 293
-, high-performance 293, 593
Poly(ethylene oxide) 311
Polyethylenes, phase structure 299
Polyimides 371
Polyisobutylenes 455, 463
Polyisocyanate 629
Polylactones 475
Polymer adsorption 71
Polymer adsorption theory 71
Polymer backbones 199
Polymer-metal complexes 143
Poly(methyl methacrylate) 401, 407
Poly(methyl methacrylate-g-propylene oxide) 401, 407
Poly(4-methylstyrene) 471
-, near-monodisperse 471
Poly(alpha-methylstyrene) 207
-, excimer formation 429
Poly(monomethylene amides) 547
Polyolefins, functionalization 603
Polyoxyproplyene triamine 629
Polyphenols, vinylbenzyl ethers 1
Polyphenylene sulfide/polyarylate 175
Poly(propylene), isotactic 95
Poly(propylene oxide) 401, 407
Polysilanes 253, 355, 363, 441
Poly(1-silapent-3-ene) 349

Polysiloxanes 85
Polystyrene 261, 421, 557
-, chloromethylated 151
Polystyrene homopolymer 311
Polystyrene poly(alpha-methylstyrene) 207
Polystyrene solution 183
Polysurfactants 123
Polytetrahydrofuran-polyisobutylene networks 25
Poly(tetramethylene oxide) 527
Polyurethane ionomers, sulfonate 565
Poly(vinyl alcohol) hydrogel 119
Poly(vinylidene fluoride) 645
-, crystallization 645
Polyvinylpyridine-Cu(II) complex catalyst 307
Polyvinylpyridine(PVPy)-Cu(II) complex 307
Propylene polymerization 103, 111, 233

Quenching, cryogenic 611

Radical chain polymerization 505
Reductive coupling 441
Reductive transformations 137
Retention properties 169
RIM 629
RIM copolymers 629
Ring-opening polymerization 349
Ring-opening reactions 521
Rubber vulcanizates 285, 621

Sheared polymer melts, crystallization 593
Shear rate, minimum 593
Silacyclopent-3-ene 349
Silicon networks, swollen 333
Siloxane-based aliphatic isocyanate, tetrafunctional 85
Siloxanes, aliphatic isocyanate groups 85
Silyl anion 441
Silyl ketene acetal 63
Sodium 6-acrylamidocaproate 123
Sodium methacrylate 271
Sol-gel chemistry 527
Sonochemical reductive coupling 253
Spherulites 593
Spinning 293
Spiropyranes 553
3,3'-Spirobiphthalide 521
3,3'-Spirobiphthalide/bisphenol A diglycidyl ether 521
Spirobislactone 521
Starburst dendrimers 85
Star polymers 85
Sterospecific polymerization 103
Stray light 557
Styrene 207
Styrene-methacrylic acid block polymers 317
Styrene monomers, purity 421
2-p-Styryl-2-oxazoline 325
-, N-methylated salt 325
Sucrose methacrylic esters 41
Sudan red III 553
Surfactants, micellar polymerization 123
Swelling networks 333

TEM, sample preparation 617
Tetracarbonylferrate 151
Tetrafunctional cross-linking agent 85
Tetramethylcyclotetrasiloxane 85
Thermally stimulate discharge current 213
Thermoplastics 47
Thiourea 143
Ti/Mg bimetallic complexes 239
Titanium(IV) isopropoxide 527
Titanium trichloride 103, 111
Trace contaminants, reactive 421
Transient flow behavior 183
Transparent hydrated gel 119
Triblock polymers 311
Trityl salts 163
Trommsdorf effect 611
Trypanocidal activity 41
Trypanosoma cruzi 41

Urea 191
Urethane 191
Urethane networks, polar-nonpolar 25

VDMO-VBC copolymers 449
Vinylbenzyl chloride 449
Vinylbenzyl etherification 1
Vinylbenzyl terminated monomers, thermosettable 1
4-Vinyl biphenyl 505
N-Vinylcarbazole 163
3-1,9-N-Vinylcarbazole 163
2-Vinyl-4,4-dimethyl-5-oxazolone 449
Vinyl monomers 513
--, radical chain polymerization 505
Vinyl polymers 533
Vulcanizates 285, 621

Ziegler-Natta catalysts 233
Ziegler-Natta sterospecific system 103, 111
Zwitterion copolymerization 169
Zwitterionic polymers 617
--, microstructure 617

Indexed in *Current Contents*